



ALIMENTATORI C.C. - C.C. POWER SUPPLY - ALIMENTATIONS C.C. - C.C. VORSCHALTGERÄTE - ALIMENTADORES C.C.

350mA

CODE	IP	MADE IN	INPUT	POWER	VOLTAGE RANGE	DIMENSION	WEIGHT	QUANTITY OF PRODUCTS			
								1W	2W	4W	12W
.DI35008IT	20	ITALY	220-240Vac 50/60Hz	8W	2-23V	68x42x22mm	40g	1-7	1-3	1	0
.DI35015IT	20	ITALY	220-240Vac 50/60Hz	15W	10-44V	147x44x22mm	113g	4-14	2-7	1-3	1
.DE35004	65	PRC	100-240Vac 50/60Hz	3,5W	2,5-10V	38x27x21mm	44g	1-3	1	0	0
.DE35006	65	PRC	220-240Vac 50/60Hz	6W	9-17V	54x42x27mm	95g	4-5	2	1	0
.DE35010IT	67	ITALY	220-240Vac 50/60Hz	10W	2-30V	73x42x24mm	90g	1-9	1-4	1-2	0
.DE35012	65	PRC	220-240Vac 50/60Hz	12W	17-34V	50x49x24mm	92g	6-11	3-5	2	0
.DE35017	67	PRC	100-240Vac 50/60Hz	17W	9-48V	118x35x26mm	220g	4-15	2-7	1-3	1
.DE35017IT	67	ITALY	220-240Vac 50/60Hz	17W	5-49V	115x54x26mm	340g	2-15	1-7	1-4	1

500mA

CODE	IP	MADE IN	INPUT	POWER	VOLTAGE RANGE	DIMENSION	WEIGHT	QUANTITY OF PRODUCTS			
								1,6W	3,2W	6W	18W
.DI50007	20	PRC	220-240Vac 50/60Hz	7W	6,5-13V	49x27x20mm	35g	3-4	2	1	0
.DI50010IND	20	PRC	220-240Vac 50/60Hz	10W	13-20V	65x39x20mm	44g	5-6	3	0	0
.DI50015IND	20	PRC	220-240Vac 50/60Hz	15W	18-30V	85x41x22mm	66g	7-9	4	2	0
.DI50020IND	20	PRC	220-240Vac 50/60Hz	21W	30-42V	85x41x22mm	63g	10-13	5-6	3	1
.DI50014IT	20	ITALY	220-240Vac 50/60Hz	14W	2-27V	158x22x19mm	55g	1-8	1-4	1-2	0
.DI50022IT	20	ITALY	220-240Vac 50/60Hz	22W	8-44V	147x44x22mm	113g	3-13	2-6	1-3	1
.DE50004	65	PRC	100-240Vac 50/60Hz	3,5W	2,5-7V	38x27x21mm	40g	1-2	1	0	0
.DE50006IT	67	ITALY	220-240Vac 50/60Hz	6W	2-12,6V	73x42x24mm	90g	1-3	1	1	0
.DE50007	67	ITALY	220-240Vac 50/60Hz	7W	6,5-13V	49x27x20mm	35g	3-4	2	1	0
.DE50017	67	PRC	100-240Vac 50/60Hz	17W	9-34V	118x35x26mm	220g	4-10	2-5	1-2	0
.DE50024IT	67	ITALY	220-240Vac 50/60Hz	24W	5-49V	115x54x26mm	340g	2-15	1-7	1-4	1
.DE50025	67	PRC	100-240Vac 50/60Hz	27W	22-54V	105x63x30mm	410g	9-16	5-8	3-4	1

700mA

CODE	IP	MADE IN	INPUT	POWER	VOLTAGE RANGE	DIMENSION	WEIGHT	QUANTITY OF PRODUCTS			
								2,5W	9W		
.DI70011IT	20	ITALY	220-240Vac 50/60Hz	11W	2-17V	158x22x19mm	55g	1-4	1		
.DI70030IT	20	ITALY	220-240Vac 50/60Hz	30W	5-44V	147x44x22mm	113g	2-12	1-3		
.DE70004	65	PRC	220-240Vac 50/60Hz	4W	2,5-6V	38x27x21mm	40g	1	0		
.DE70008IT	67	ITALY	220-240Vac 50/60Hz	8W	2-12V	73x42x24mm	90g	1-3	0		
.DE70030IT	67	ITALY	220-240Vac 50/60Hz	30W	5-43V	115x54x26mm	340g	2-12	1-3		



**ALIMENTATORI 24Vdc E 48Vdc - 24Vdc and 48Vdc POWER SUPPLY - ALIMENTATIONS 24Vdc ET 48Vdc
24Vdc und 48Vdc STROMVERSORGUNGEN - ALIMENTADORES 24Vdc E 48Vdc**

24Vdc

CODE	IP	MADE IN	INPUT	POWER	DIMENSION	WEIGHT	MAX LOAD (FOR A CORRECT POWER SUPPLY FUNCTION)
.AI24020	20	ITALY	220-240Vac 50/60Hz	20W	146x55x19mm	130g	16W
.AI24030	20	PRC	220-240Vac 50/60Hz	30W	135x36x25mm	90g	24W
.AI24060	20	PRC	220-240Vac 50/60Hz	60W	152x40x31mm	201g	48W
.AI24100	20	PRC	220-240Vac 50/60Hz	120W	300x40x30mm	390g	96W
.AI24150	20	PRC	220-240Vac 50/60Hz	180W	345x50x35mm	665g	144W
.AE24016	67	ITALY	220-240Vac 50/60Hz	16W	103x56x30mm	230g	13W
.AE24024	67	PRC	220-240Vac 50/60Hz	24W	118x35x26mm	250g	19W
.AE24040	67	PRC	220-240Vac 50/60Hz	40W	148x40x30mm	280g	32W
.AE24060	67	PRC	220-240Vac 50/60Hz	60W	163x43x32mm	400g	48W
.AE24100ND	67	PRC	100-240Vac 50/60Hz	100W	190x52x37mm	630g	80W
.AE24150ND	67	PRC	220-240Vac 50/60Hz	150W	194x67x32mm	900g	120W
.AE24240	67	PRC	220-240Vac 50/60Hz	240W	163x67x37mm	740g	192W

48Vdc

CODE	IP	MADE IN	INPUT	POWER	DIMENSION	WEIGHT	MAX LOAD (FOR A CORRECT POWER SUPPLY FUNCTION)
.AE48060	67	PRC	100-240Vac 50/60Hz	60W	163x43x32mm	400g	48W
.AE48100	67	PRC	100-240Vac 50/60Hz	100W	190x52x37mm	630g	80W



**ALIMENTATORI DIMMERABILI - DIMMABLE POWER SUPPLY - ALIMENTATIONS DIMMABLES - DIMMBARE VORSCHALTGERÄTE
ALIMENTADORES REGULABLES**

Multicorrente/Multitensione - Multicurrent/Multivoltage - Multi-courant/Multi-tension - Dimmbaren Konverter Folge - Multicorriente/Multitensión												
CODE	DIMMABLE	OUTPUT	IP	MADE IN	INPUT	POWER	DIMENSION	WEIGHT	QUANTITY OF PRODUCTS			
.DDI32PC	Phase Cut Push	350mA	20	ITALY	220-240Vac 50/60Hz	17W	166x46x34mm	185g	1W: 1-15	2W: 1-7	4W: 1-3	12W: 1
		500mA				24W			1,6W: 1-15	3,2W: 1-7	6W: 1-3	18W: 1
		700mA				32W			2,5W: 1-12	9W: 1-3		
		24Vdc				20W						
.DDI08	Push DALI2	350mA	20	PRC	220-240Vac 50/60Hz	4W	142x30x21mm	60g	1W: 1-3	2W: 1	4W: 0	12W: 0
		500mA				6W			1,6W: 1-3	3,2W: 1	6W: 0	18W: 0
		700mA				8W			2,5W: 1-3	9W: 0		
.DDI30	Push 1-10V DALI2	350mA	20	PRC	220-240Vac 50/60Hz	20W	103x67x22mm	138g	1W: 4-19	2W: 2-9	4W: 1-4	12W: 1
		500mA				29W			1,6W: 4-17	3,2W: 2-8	6W: 1-4	18W: 1
		700mA				30W			2,5W: 4-11	9W: 1-3		
.DDI50	Push 1-10V DALI2	700mA	20	PRC	220-240Vac 50/60Hz	40W	123x79x24mm	215g	2,5W: 4-15	9W: 1-4		

Dimmerabili 350mA - Dimmables 350mA - Dimmables 350mA - Dimmbare 350mA - Regulables 350mA

CODE	DIMMABLE	OUTPUT	IP	MADE IN	INPUT	POWER	DIMENSION	WEIGHT	QUANTITY OF PRODUCTS			
									1W	2W	4W	12W
.DDE35018110V	0-10V 1-10V	350mA	67	ITALY	220-240Vac 50/60Hz	18W	103x56x30mm	230g	6-16	3-8	2-4	1
.DDE35017DA	DALI2	350mA	67	ITALY	220-240Vac 50/60Hz	17W	115x54x26mm	340g	1-15	1-7	1-4	1

Dimmerabili 500mA - Dimmables 500mA - Dimmables 500mA - Dimmbare 500mA - Regulables 500mA

CODE	DIMMABLE	OUTPUT	IP	MADE IN	INPUT	POWER	DIMENSION	WEIGHT	QUANTITY OF PRODUCTS			
									1,6W	3,2W	6W	18W
.DDE50020110V	0-10V 1-10V	500mA	67	ITALY	220-240Vac 50/60Hz	20W	103x56x30mm	230g	2-12	1-6	1-3	1
.DDE50024DA	DALI2	500mA	67	ITALY	220-240Vac 50/60Hz	24W	115x54x26mm	340g	1-15	1-7	1-4	1

Dimmerabili 700mA - Dimmables 700mA - Dimmables 700mA - Dimmbare 700mA - Regulables 700mA

CODE	DIMMABLE	OUTPUT	IP	MADE IN	INPUT	POWER	DIMENSION	WEIGHT	QUANTITY OF PRODUCTS			
									2,5W	9W		
.DDE70030DA	DALI2	700mA	67	ITALY	220-240Vac 50/60Hz	30W	115x54x26mm	340g	1-12	1-3		

Dimmerabili 24Vdc - Dimmables 24Vdc - Dimmables 24Vdc - Dimmbare 24Vdc - Regulables 24Vdc

CODE	DIMMABLE	OUTPUT	IP	MADE IN	INPUT	POWER	DIMENSION	WEIGHT	MAX LOAD (FOR A CORRECT POWER SUPPLY FUNCTION)
.ADE24020110V	0-10V 1-10V	900mA max	67	ITALY	220-240Vac 50/60Hz	20W	103x56x30mm	230g	16W
.ADE24060010V	0-10V 1-10V	2500mA max	67	PRC	100-240Vac 50/60Hz	60W	150x53x35mm	490g	48W
.ADE24060DA	DALI	2500mA max	67	PRC	100-240Vac 50/60Hz	60W	150x53x35mm	490g	48W